Notice of Allowability	Application No.	Applicant(s)	
	10/507,259	KORNFELD ET AL.	
	Examiner	Art Unit	
	Ephrem Alemu	2821	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT IS of the Office or upon petition by the applicant. See 37 CFR 1.31 1. This communication is responsive to 8/22/05. 2. The allowed claim(s) is/are 1-7 and 9. 3. Acknowledgment is made of a claim for foreign priority uses a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have	S (OR REMAINS) CLOSED in the common street of the c	n this application. If not included unication will be mailed in due course. T subject to withdrawal from issue at the ir or (f).	
3. Copies of the certified copies of the priority de	ocuments have been receive	d in this national stage application from	the
International Bureau (PCT Rule 17.2(a)).		2	
* Certified copies not received:		•	
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	" of this communication to file MENT of this application.	a reply complying with the requirement	s
 A SUBSTITUTE OATH OR DECLARATION must be subr INFORMAL PATENT APPLICATION (PTO-152) which give 			F
5. 🛛 CORRECTED DRAWINGS (as "replacement sheets") mι	ıst be submitted.		
(a) Including changes required by the Notice of Draftsper	rson's Patent Drawing Review	v (PTO-948) attached	
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date	<u>_</u> .		•
(b) \(\overline{\overl	r's Amendment / Comment or	in the Office action of	
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the header according to 37 CF	ne drawings in the front (not the back) of R 1.121(d).	
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT 	osit of BIOLOGICAL MATI FOR THE DEPOSIT OF BIO	ERIAL must be submitted. Note the DLOGICAL MATERIAL.	
	·		
Attachment(s) 1. ⊠ Notice of References Cited (PTO-892)	5 □ Notice of In	formal Patent Application	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)		ummary (PTO-413),	
_	Paper No./	Mail Date	
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date <u>5/06/2005</u>, <u>8/22/2005</u> 	7. ∐ Examiner's	Amendment/Comment	
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's	Statement of Reasons for Allowance	
of Biological Material	9. 🗆 Other	-	
TUYET VO PRIMARY EXAM	INER		

Application/Control Number: 10/507,259 Page 2

Art Unit: 2821

DETAILED ACTION

Drawings

1. New corrected drawings are required in this application since the drawings filed 6-10-03 are objected to because lines, number & letters not uniformly thick and well defined, clean, durable, and black (poor line quality) in all figures. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Allowable Subject Matter

- 2. Claims 1-7 and 9 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: It is agreed that the prior art of record fail to teach or suggest alone or in combination, the combination of the limitations: "the wall distance between wall surfaces that stand opposite one another is less in the longitudinal segment of the second type than in the longitudinal segment of the first type, wherein the wall progression in the longitudinal segment of the second type demonstrates a monotonously curved curvature towards the ionization chamber, in the longitudinal direction" as claimed in claim 1. It is for this reason in combination with all the other limitations in the independent claim 1, that claims 1-7 and 9 are allowable over prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Art Unit: 2821

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Kornfeld et al. (US 7,084,572); Kornfeld et al. (US 6,803,705); Kornfeld et al. (US 6,523,338); also teaches similar inventive subject matter. However the prior art listed above neither teach nor disclose the limitation described above for reason of allowance either alone or in combination.

Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ephrem Alemu whose telephone number is (571) 272-1818. The examiner can normally be reached on M-F 9:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Douglas W Owens can be reached on (571) 272-1662. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Application/Control Number: 10/507,259 Page 4

Art Unit: 2821

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

EA 4-02-07

> TUYETVO PRIMARY EXAMINER